

Monday, August 14, 2017 11:38:29 AM

Sept 1st

Page 1

Run Start *NR1*
Stop *NR2*

[illegible]

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER :							

Work Order ID 165036

Monday, August 14, 2017 11:38:30 AM

165036

Page 2

Item ID: D066-1003-013**Accept*****N900040100*****Setup Start *NS1*****Revision ID:****Stop *NS2*****Item Name:** R66 Baggage Compartment Protector Installation**Start Date:** 8/14/2017 **Start Qty:** 1.00 ***1*****Cust Item ID:****Required Date:** 9/12/2017 **Req'd Qty:** 1.00 ***1*****Customer:****Reference:****Approvals:** **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____**Run Start *NR1*****QC:** _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____**Stop *NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* Packaging Packaging	Identify as per dwg & Stock Location: _____ Packaging Memo Identify and pack for shipping as per PPP D066-1003-013 Location: FG040	0.00 0.00							
							DAS 28 9-89	SEP 15 2017	
140 *140* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.10							
							DAS 21 9-89	SEP 15 2017	

DAS
21
9-89

SEP 15 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By																																																									
								Lead hand / Supervisor Approval Verification																																																									
								QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

Picklist Print

Monday, August 14, 2017 11:38:32 AM

Page 1

Work Order ID: 165036

165036

Parent Item: D066-1003-013

D066-1003-013

Parent Item Name: R66 Baggage Compartment Protector Installation

Start Date: 8/14/2017

Required Date: 9/12/2017

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP REV:A 14.02.05 NEW ISSUE DD VERF:JLM IPP Rev B
Parts list updated 14/07/02 DL IPP REV:C 15.02.1 AS
PER IIN REV.B DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

AN525-10R9

Purchased

No

110

Each

155.0000

10

10

AN525-10R9

Screw

**

Location

Loc Qty

Loc Code

ST329

155

m133990

155

AN970-3

Purchased

No

110

Each

144.0000

3

3

AN970-3

Washer

**

Location

Loc Qty

Loc Code

ST321

144

m136953

44

m137680

100

CS62-1032-8CR

Purchased

No

110

Each

63.0000

8

8

CS62-1032-8CR

CLICK BOND STUD

**

Location

Loc Qty

Loc Code

ST559

63

m130645

10

m130651

23

m131067

30

DAS
27
9-89

AUG 22 2017

DAS
27
9-89

AUG 22 2017

DAS
27
9-89

AUG 22 2017

DAS
28
9-89

DAS
28
9-89

DAS
28
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : ☐					

Picklist Print

Page 2

Monday, August 14, 2017 11:38:32 AM

Work Order ID: 165036

165036

Parent Item: D066-1003-013

D066-1003-013

Parent Item Name: R66 Baggage Compartment Protector Installation

Start Date: 8/14/2017

Required Date: 9/12/2017

Start Qty: 1.00

Required Qty: 1.00

D3580-5 Manufactured No 110 Each 16.0000 3 3

D3580-5

Bracket

**

DAS
28
9-89

Location

Loc Qty

Loc Code

ST040

16

124314

10

130979

6

AUG 22 2017

DAS
27
9-89

D5119-1

Manufactured No

110 Each

0.0000

1

1

D5119-1

Placard

**

DAS
28
9-89

D5120-1

Manufactured No

110 Each

0.0000

1

1

D5120-1

Placard

**

DAS
28
9-89

MS20426AD3-4

Purchased No

110 Each

7,218.000

20

20

MS20426AD3-4

RIVET

**

DAS
28
9-89

Location

Loc Qty

Loc Code

GA

5644

m134294

1921

m136444

3723

ST312

1574

m131697

48

m134294

1526

AUG 22 2017

DAS
27
9-89

Monday, August 14, 2017 11:38:32 AM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : ☐					

Picklist Print

Monday, August 14, 2017 11:38:32 AM

Work Order ID: 165036

165036

Parent Item: D066-1003-013

D066-1003-013

Parent Item Name: R66 Baggage Compartment Protector Installation

Start Date: 8/14/2017

Required Date: 9/12/2017

Start Qty: 1.00

Required Qty: 1.00

MS21059L3

Purchased

No

110

Each

242.0000

10

10

MS21059L3

Nut Plate

**

AUG 22 2017

DAS
27
9-89

Location

Loc Qty

Loc Code

GA

47

M137412

1

M137659

30

M137710

16

ST301

195

M137587

4

M137820

41

M137963

50

M138040

100

10

D4942-1

Manufactured

No

110

Each

0.0000

1

1

D4942-1

Floor Protector

**

SEP 13 2017

D4942-3

Manufactured

No

110

Each

0.0000

1

1

D4942-3

Protector, Fwd

**

AUG 15 2017

D4942-7

Manufactured

No

110

Each

0.0000

1

1

D4942-7

Protector, LH

**

DAS 6

AUG 21 2017

D4942-9

Manufactured

No

110

Each

0.0000

1

1

D4942-9

Door Protector

**

DAS 6

AUG 16 2017

MS21042-3

MS21042L3

Purchased

No

110

Each

0.0000

8

8

MS21042-3

Nut

**

M138084

8

AUG 22 2017

DAS 27 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
OTHER : ☐									

Picklist Print

Monday, August 14, 2017 11:38:33 AM

Page 4

Work Order ID: 165036

165036

Parent Item: D066-1003-013

D066-1003-013

Parent Item Name: R66 Baggage Compartment Protector Installation

Start Date: 8/14/2017

Required Date: 9/12/2017

Start Qty: 1.00

Required Qty: 1.00

CB200

Purchased

No

110

Each

17.0000

5

5

CB200

Acrylic Adhesive, 3.5G

**

DAS
28
9-89

Location

Loc Qty

Loc Code

X1 exp 7/27/17 PKG
X4 exp 12/12/17 m136020
m136918
m136932

17

1

4

12

1
4

AUG 22 2017

D4967-1

Manufactured

No

110

Each

6.0000

2

2

D4967-1

Bracket

**

DAS
28
9-89

Location

Loc Qty

Loc Code

ST140

6

117642

1

125338

5

2

AUG 22 2017

DAS
27
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions		
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance		
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect		
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing		
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved		
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing		
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish		
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread		
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence		
Past Expiry Date ☐	☐ Manufacturing Process						
Misidentified ☐	☐ Past Due	☐ OTHER :					

4.0 WEIGHT AND BALANCE

The following is the weight increase associated with the D066-1003-XXX kits. Be sure to subtract the weight of any parts removed.

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D066-1003-011L02 Cabin Floor Protector (Black Lexan Sheet)	6.7 lb 3.0 kg	0.10 in 0.00 m	0.67 in-lb 0.00 m-kg	43.72 in 1.11m	293 in-lb 3.33 m-kg
D066-1003-011L08 Cabin Floor Protector (Clear Lexan Sheet)	6.7 lb 3.0 kg	0.10 in 0.00 m	0.67 in-lb 0.00 m-kg	43.72 in 1.11m	293 in-lb 3.33 m-kg
D066-1003-013 Baggage Compartment Protectors	16.5 lb 7.5 kg	3.29 in 0.08 m	54 in-lb 0.60 m-kg	104.35 in 2.65 m	1721 in-lb 19.88 m-kg

5.0 PARTS LIST

Qty -011 L02	Qty -011 L08	Qty -013	Part Number	Description
X			D066-1003-011L02	CABIN FLOOR PROTECTORS (BLACK)
	X		D066-1003-011L08	CABIN FLOOR PROTECTORS (CLEAR)
		X	D066-1003-013	BAGGAGE COMPARTMENT PROTECTORS
1			D4941-1L02	FLOOR PROTECTOR, FWD LH
	1		D4941-1L08	FLOOR PROTECTOR, FWD LH
1			D4941-2 L02	FLOOR PROTECTOR, FWD RH
	1		D4941-2 L08	FLOOR PROTECTOR, FWD RH
1			D4941-3 L02	FLOOR PROTECTOR, AFT LH
	1		D4941-3 L08	FLOOR PROTECTOR, AFT LH
1			D4941-4 L02	FLOOR PROTECTOR, AFT RH
	1		D4941-4 L08	FLOOR PROTECTOR, AFT RH
		1	D4942-1	FLOOR PROTECTOR
		1	D4942-3	FORWARD WALL PROTECTOR
		1	D4942-7	LH WALL PROTECTOR
		1	D4942-9	DOOR PROTECTOR
		2	D4967-1	BRACKET
6	6		D3580-3	JOGGLE BRACKET
		3	D3580-5	JOGGLE BRACKET
		1	D5119-1	PLACARD
		1	D5120-1	PLACARD
6	6		AN525-10R8	SCREW
		10	AN525-10R9	SCREW
		8	CS62-1032-8CR	STUD, CLICK BOND
		3	AN970-3	WASHER
		8	MS21042-3	NUT, SELF LOCKING
		5	CB 200	3.5G ACRYLIC ADHESIVE
6	6	10	MS21059L3	NUTPLATE
12	12	20	MS20426AD3-4	RIVET

Work Order ID 165036

165036

Page 1

Monday, August 14, 2017 11:38:29 AM

Item ID: D066-1003-013 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: R66 Baggage Compartment Protector Installation

Start Date: 8/14/2017 Start Qty: 1.00 *1* Cust Item ID:
 Required Date: 9/12/2017 Req'd Qty: 1.00 *1* Customer:

Reference:

Approvals: Process Plan: _____ Date: AUG 14 2017 Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
IIN-D066-1003	B								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile & type labels per PPP D066-1003-013 CHG002								
110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.03							
Quality Control									

DAS
5
9-89

AUG 24 2017

5d
AUG 16 2017



Transport Canada Transports Canada

Department of Transport

Supplemental Type Certificate

This approval is issued to:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, Ontario
Canada K6A 1K7

Number: SH14-28

Issue No.: 1

Approval Date: June 20, 2014

Issue Date: June 26, 2014

Responsible Office:

Prairie and Northern

Aircraft/Engine Type or Model:

Robinson R66

Canadian Type Certificate or Equivalent:

H-111

Description of Type Design Change:

Interior Protector Kits

**Installation/Operating Data,
Required Equipment and Limitations:**


Installation of the Interior Protector Kits must be in accordance with Transport Canada Civil Aviation (TCCA) approved DART Aerospace Ltd. (DART) Installation Instructions IIN-D066-1003 Revision A, dated May 8, 2014 or later TCCA approved revision.

Maintenance of the Interior Protector Kits must be in accordance with TCCA accepted DART Instructions for Continued Airworthiness ICA-D066-1003 Revision 0, dated June 18, 2014 or later TCCA accepted revision.

Definition of the Type Design Change: TCCA approved DART Master Document List MDL-D066-1003 Revision A, dated June 20, 2014 or later TCCA approved revision.

Basis of Certification for Affected Areas: AWM Chapter 527, Change 527-8, dated June 30, 2009 (equivalent to 14 CFR Part 27 including amendments 27-1 through 27-44)..

— End —



Conditions: This approval is only applicable to the type/model of aeronautical product specified therein. Prior to incorporating this modification, the installer shall establish that the interrelationship between this change and any other modification(s) incorporated **will not** adversely affect the airworthiness of the modified product.

Scott W. Wales
For Minister of Transport

Canada